


Vol. 1.


The Hon.ble THO. TREVOR. Esq.r



2c/

2 vols

Some Hundred Specimens of Leaves of various Trees and Plants, in imitation of Drawings, numbered, with a Botanical Index, in 2 vols. very curious

L. Phylophyllographia A.

	L.	A.
1	Asarum.	Asarabacca.
2	Argentina.	Silver-weed.
3	Nasturtium Indicus.	Indian Cresses.
4	Rosa Sylvestris odora.	Eglantine. or Sweet Brier.
5	Cicuta Fatua.	Fools Parsly.
6	Valeriana Palustris.	Marsh Valerian.
7	Pimpinella Saxifra maj.	Great Burnet-Saxifrage.
8	Lithospermum.	Gromill.
9	Lysimachia siliquosa min.	The lesser Codded Loose-strife
10	Fragaria Hortensis.	Garden Straw-berry.
11	Pimpinella Sylv. maj.	~~Pimpinella Sylv. me~~ Meadow Burnet.
12	Vitis.	The Vine.
13	Uva Crispa. Grossularia.	Goose-Berries.
14	Circæa Lutetiana.	Enchanters Night-shade.
15	Clymenon Italorum. Ger.	Park-Leaves.
16	Convolvulus major.	The Greater Bindweed.
17	Bistorta.	Bistort. or Snake-weed.
18	Anagallis Lutea.	Yellow Pimpernell.
19	Pimpinel. Saxif. Rotundif.	Round-leav'd Burnet Saxif.
20	Bryonia Alba.	White Briony.
21	Tota Bona. Bonus Henricus.	English Mercury.
22	Mentha Sativa.	Garden Mint.
23	Cataputia Major.	The great Garden-Spurge.
24	Ribes Sylv.	Black Currans.
25	Uva Corinthiaca.	Currans.
26	Hedera Terrestris.	Ground-Ivy.

27.	Hedera Vulg.	Ivy.
28.	Oxyacantha.	~~Barberries~~. Haw-thorn.
29	Salvia.	Sage.
30	Periclymenum. Caprifolium.	Wood-Bind. Honeysuckle.
31	Evonymus.	Spindle Tree.
32	Fraxinus.	Ash.
33	Acer Majus.	The Sycamore-tree.
34.	Salix. Laurifolia odorata.	Bay-leav'd Willow.
35	Prunus.	The Plum-tree.
36	Alchimilla.	Ladies Mantle.
37	Panax Coloni.	Clowns All-heal.
38	Adiantum Nigrum.	Black Maiden-hair.
39	Meum.	Spignell.
40	Malva.	Mallows.
50	Malus Armeniaca.	The Apricock-tree.
51	Faba.	Beans.
52	Thalictrum.	Meadow-Rue. Goats Rhubarb
53	Cicuta.	Hemlock.
54	Millefolium.	Yarrow. Milfoil.
55	Apium.	Parsly.
56	Ranunculus Thalictri fol.	Meadow-Rue Crowfoot.
57	Fœniculum.	Fennel.
58	Artemisia.	Mug-wort.
59	Chamædrys.	Germander.
60	Plantago Major Vulg.	The greater Plantain.
61	Umbilicus Veneris.	Venus Navel. Kidney-wort.
62.	Spinachia	Spinache.
63.	Plantago Quinquenervia.	Rib-wort Plantain.

64	Absinthium Romanum.	Roman Worm-wood.
65	Campanula Rotundifolia	Round-leav'd Bell-flower.
66	Virga Aurea.	Golden Rod.
67	Viola.	Violet.
68	Horminum Sylv.	Wild Clary.
69	Cannabis Spuria.	Nettle-Hemp.
70	Acetosa.	Sorrel.
71	Blitum Rubrum.	Red Blites.
72	Melissa.	Baulm.
73	Filipendula. Vulg.	Drop-wort.
74	Galeopsis.	Stinking Hedge-Nettle.
75	Barbarea.	Winter Cresses.
76	Phaseolus.	Kidney Beans.
77	Berberis. Oxyacantha Galen.	Barberries.
78	Prunella.	Self-Heal.
79	Uva Corinthiaca Sylv.	Wild Currans.
80	Vicia Maxima Dum.	The Bush-Vetch.
81	Bugula.	Bugle.
82	Ophrys Bifolia.	Tway-Blade.
83	Cruciata.	Cross-wort.
84	Bryonia Nigra.	Black Briony.
85	Myrrhis.	Sweet Cecily.
86	Mercurialis	Mercury.
87	Tussilago	Colts-foot.
88	Jacobæa.	Rag-wort.

89	Scrophularia.	Fig-wort.
90	Calamintha.	Calamint.
91	Lamium Purpureus.	Red Archangel.
92	Phillyrea	Mock-Privet.
93	Regina Prati.	Queen of ye Meadows.
94	Ascyrum.	St Peters Wort.
95	~~Acer~~ Rubus Vulg.	Bramble. Black-berry (Bush.
96	Acer.	The Maple-tree.
97	Betonica.	Betony.
98	Agrimonia.	Agrimony.
99	Populus Nigra	Black Poplar.
100	Thuya.	The Tree of life.
101	Lysimachia Lutea.	Yellow Willow-wort.
102	Saponaria.	Soap-wort.
103	Scolopendria	Spleen-wort.
104	Ros Solis.	Sun-dew.
105	Viola Palus. Rotundifolia.	Round-leav'd Marsh Violet.
106	Cotyledon Palust.	Marsh Penny-wort.
107	Lactuca Agnina.	Corn-Sallet.
108	Ficus.	The Fig-tree.
109	Staphylodendrus.	Bladder-Nut-tree.
110	Ligustrus.	Privet.
111	Nummularia Minor.	The lesser Money-wort.
112	Valeriana Hortensis	Garden Valerian.
113	Lupulus.	Hops.
114	Consolida Major.	Comfrey.

115	Populus Alba.	The White Poplar Tree.
116	Sagittaria.	Arrow-wort. Arrow-head.
117.	Jasminus Album.	White Jasmine.
118	Salix. maj. vulg.	The Sallow-tree.
119	Pæonia.	Peony.
120	Rosa. sylv.	Dog-Rose.
121	Staphylodendri Ramus.	Bladder-Nut-tree.
122	Urtica vulgaris	Nettle.
123	Ligustrum.	Privet.
124	~~Costus~~ Hortorum. Chamædrys.	Garden Germander.
125	Costus Hortorum.	Cost-mary. Ale-cost.
126	Atriplex.	Orrache.
127	Sambucus Aquatica.	Water Elder.
128	Caryophyllata.	Avens: Herb-bennet.
129	Althæa.	Marsh Mallows.
130	Caryophyllata Purpur.	Purple Avens.
131.	Marrubium Album	White Hore-hound.
132	Lampsana.	Nipple-wort.
133	Luteola.	Diers-Weed. Wild Woad.
134	Quinquefolium.	Cinquefoil.
135	Corylus.	Hasel-nut-tree.
136	Perfoliata.	Thorowwax.
137.	Tanacetum. Crispum.	Curled Tansy.
138	Sonchus Lævis	Smooth Sow-thistle.
139	Scordium.	Water-Germander.

140	Malus Persica.	The Peach-tree.
141	Pyrus.	The Pear-tree.
142	Helenius.	Elecampane.
143	Fragaria.	Straw-Berries.
144	Pimpinella Maj. Prat.	Meadow-Burnet.
145	Galega.	Goats Rue.
146	Cerasus.	The Cherry-tree.
147	Petroselinus.	Parsly.
148	Papaber Hortense.	Garden Poppy.
149	Valeriana Sylv.	Wild Valerian.
150	Geranius Fuscus.	Dusky Cranes-Bill.
151	Ophioglossus.	Adder's Tongue.
152	Virga Aurea Fl. albo.	Michael-mass Daisy.
153	Mespilus.	The Medlar-tree.
154	Filix Foemina.	The Female Fern.
155	Lapathus.	Dock.
156	Juglans.	The Wall-nut-tree.
157	Ophioglossus.	Adder's Tongue.
158	Trifolius.	Trefoil.
159	Anagallis Aquatica.	Brooklime.
160	Ulmus.	Elme-tree.
161	Alliaria.	Jack by ye Hedge.
162	Quercus	The Oak-tree.
163	Sambucus.	Elder-tree.
164	Bardana.	Burre-Dock.

165	Papaber Hortense.	Garden Poppy.
166	Caryophyllata lutea.	Yellow Avens.
167	Tithymalus variegatus.	Variegated Spurge.
168	Foliu superius ejusdem.	The Upper Leaf of it.
169	Verbascum Album.	White Mullein.
170	Dens Leonis.	Dandelion.
171	Borago.	Borrage.
172	Alsine.	Chick-weed.
173	Tithymalus helioscopius.	Sun-spurge.
174	Ejusdem Fol. superiora.	The Upper leaves of it.
175	Scrophularia Lutea.	Yellow Figwort.
176	Orchis.	Orchies or Satyrion.
177	~~Pomus~~. Jacea.	Knap-weed.
178	Pomus.	The Apple-tree.
179	Oxys Trifolia.	Wood Sorrel.
180	Ornithopodium Majus.	Greater Bird's-foot.
181	Fraxinus.	The Ash-tree.
182	Chamaedrys Sylv.	Wild Germander.
183	Hypericum villosum.	Hoary S. Johns-wort.
184	Barbarea.	Winter Cresses.
185	Marrubium Aquaticum.	Water Horehound.
186	Sophia Chirurgorum.	Flixe-weed.
187.	Trifolium Paludosum.	Marsh-Trefoil. Buck-bean
188	Absinthium Vulg.	Worm-wood.

189	Geranius Robertianus.	Herb Robert.
190	Lapathus Sanguineus.	Blood-wort.
191	Menianthes	Buck-Bean.
192	Geranius Columbinus.	Doves-foot Cranes-Bill.
193	Petasites.	Butter-Bur.
194	Morsus Diaboli.	Devils-Bit.
195	Caltha Palustris.	Marsh-Marigold.
196	Sphondylius.	Cow-Parsnep.
197.	Herba Paris.	One Berry.
198	Adiantus Albus Petraeus.	White Maiden Hair.
199	Astragalus Sylvaticus.	Wood Pease.
200	Aurea Virga peregrina.	Outlandish Golden Rod.
201	Rhamnus Catharticus.	Buck-thorn.
202	Alcakengi.	Winter-Cherry.
203	Lilius Convallius.	Lilly Convalley.
204	Solanus Lethale.	Deadly Night-shade.
* 205	Herba Doria.	Dorias Wound-herb.
206.	Melilotus odorata.	Sweet Melilot.
207	Cucumis Asininus.	Wild Cucumber.
208	Cannabis.	Hemp.
209	Horminus.	Clary.
210	Leucoion Luteus.	Wall-gilli-flowers.
211.	Glycyrriza.	Liquorice.

212	Flos Ranunculi.	The Flower of Crow-foot.
213	Imperatoria.	Master-wort.
214.	Flos ~~Boraginis~~ Bryoniæ alb.	The Flower of Bryony.
215	Flos Boraginis.	The Flower of Borrage.
216	Flos Anagallidis luteæ.	The Flower of Yel. Pimpernel.
217	Caryophyllus.	July-Flower.
218	Stramonium.	Thorn-Apple.
219	Helleborine.	Bastard White Hellebore.
220	Christophoriana.	Herb Christopher.
221	Erica vulg.	Heath.
222	Ascyron Palustre.	Round-leav'd S. Peters-wort.
223	Pulegium.	Penny-Royal.
224	Amaracus.	Marjerome.
225	Rubus vulg.	Bramble.
226	Fagus.	The Beech-tree.
227	Castanea.	Chesnut-tree.
228	Ruta.	Rue.
229	Aquilegia.	Columbines.
230	Levisticum.	Lovage.
231	Sanicula.	Sanicle.
232	Asperula.	Wood-roof.
233	Sorbus sylv.	The Quicken Tree.
234	Saxifragia Aurea.	Golden Saxifrage.
235	Valeriana Græca.	Greek Valerian.
236	Gallium alb. pal.	White Ladies Bed-straw.
237	Alsine folio Trissaginis.	Germander-Chick-weed.

238	Parietaria.	Pellitory of ye Wall.
239	Caucalis.	Hedge-Parsley.
240	Primula Veris	Cow-slips.
241	Viola Matronalis.	Dames Violets.
242	Myrrhis Sylv.	Himlock-chirvil.
243	Alnus Vulg.	The Alder Tree.
244	Chelidonium majus.	Great Celandine.
245	Angelica Sylv.	Wild Angelica.
246	Plantago Aquatica.	Water-Plantain.
247	Gratiola.	Hedge-Hyssop.
248	Gramen Parnassi.	Grasse of Parnassus.
249	Syringa cærulea.	The Blew Pipe-tree.
250	Salvia Angustifolia.	Frensh Sage.
251	Chelidonium Minus	The lesser Celandine.
352	Betonica Aquatica	Water-Betony.
353	~~Helleborus Niger.~~ Vulvaria	Stinking Orache.
354	Hypericon glab. p̱foratus.	Smooth St Johns-wort.
355	Helleborus Niger.	Black Hellebore
356	Vinca Pervinca.	Periwinkle.
357	Syringa Alba.	The White Pipe-tree.
358	Apium dulce.	Seleri.
359	Amara Dulcis.	Bitter-sweet.
360	Eupatorium Cannab.	Dutch-Agrimony.
361	Coma Gallii.	The Flow. of Lady Bed-straw
362	Flos Campanulæ Pyr.	The Bell-flower.

363	Euphrasia Dodonæi.	Dodonæus's Eye-bright.
364	Mentha Sylv.	Wild Mint.
365	Solanum Vescum.	Potatoes.
366	Pastina Latifolia.	Parsnip.
367	Pisum.	Pease.
368	Flos Pisi.	The flower of Pease.
369	Adiantum Album.	Wall Rue.
370	Castanea Equina.	Horse-Chesnut.
371	Filicula.	Dwarf-fern.
372	Polypodium.	Polypody.
373	Laurus Tinus.	Laurus Tinus.
374	Laurus Poetarum.	The Bay Tree.
375	Scabiosa.	Scabious.
376	Seseli Pratense.	English Saxifrage.
377	Jacobæa Incana.	Hoary St. James's-wort.
378	Persicaria Urens.	Biting Arsmart.
379	Cynoglossum.	Hounds Tongue.
380	Persicaria Mitis.	Mild Arsmart.
381	Carum.	Carawaies.
382	Bugula Flore albo.	White Bugle.
383	Ranunculus.	Crow-foot.
384	Cannabis Spu. f. luteo.	Yellow Hemp-Nettle.
385	Clinopodium Majus.	Great Wild Basil.
386	Ranunc. Flammeus.	Spear-Wort.
387	Eupatorium Cannab. Fæ.	The Fem: Hemp-Agrimony.

388	Portulaca Aquatica.	Water-Purslane.
389	Quinquefolium Palustre.	Marsh-Cinque-foil-
390	Hypericon non perforatum	Unperforated St. John's-wort
391	Filix Mas.	The Male Fern.
392	Amygdalus.	The Almond-Tree.
393	Volubilis Nigra.	Small-Bind-weed.
394	Trachelium Minus.	Little Throat-wort.
395	Betula.	The Birch-Tree.
396	Carpinus.	The Horn-beam-Tree
397	Helianthemum.	Dwarf Cistus-
398	Tilia.	The Lime-Tree.
399	Hypericon Arborescens.	Tree-St John's-wort.
400	Virga Sanguinea.	The Dog-berry Tree.
401	Pimpinella Minor.	The Lesser Burnet.
402	Malus Sylvestris	The Crab-tree.
403	Bellis Minor.	The lesser Daisie.
404	Erigeron.	Groundsell.
405	Bursa Pastoris.	Shepherd's Purse.
406	Raphanus Hispanus.	The Spanish Radish.
407	Aparine..	Goose-grasse.
408	Halimus.	Sea-Purslane.
409	Ranunculus fl. globoso.	Globous Crowfoot.
410	Thlaspi.	Treacle-Mustard.
411	Lactuca Folium Superius.	Ye Upper leaf of Lettuce.
412	Lactuca.	Lettuce.

No.	Latin	English
413	Sonchus Læb. Muralis	Ivy-leab'd Sow-thistle.
414	Plantago Enerbia.	Ribwort-Plantain.
415	Chamæcyparissus.	Labender-Cotton.
416	Dracunculus Hort.	Tarragon.
417	Raphanus Rusticanus.	Horse-Radish.
418	Morus.	The Mulberry-Tree.
419	Abrotanu.	Sothern-wood.
420	Rubus Idæus.	Rasp-Berry.
421	Erysimum.	Hedge-Mustard.
422	Salvia Agrestis.	Wood-Sage.
423	Ranunc. Hederaceus.	Ivy-Crowfoot.
424	Rubus fruct. cæsio.	Dewberry.
425	Digitalis.	Fox-Globe.
426	Cochlearia marina.	Sea-scurby-Grasse.
427	Imperatoria.	Master-wort.
428	Parthenium.	Feaber-few.
429	Jacobæa Palustris	Marsh-S[t] James's-Wort.
430	Corallina.	Coralline.
431	Cerasus.	The Cherry Tree.
432	Geranium Moschatum	Musk-Cranes-bill.
433	Radix Ursina.	Spignell.
434	Salix Angustifolia.	Narrow-leab'd Willow.
435	Carduus Mollis	The Gentle Thistle.
436	Laurus Latifolia.	Lawrel.
437	Artemisia bariegata.	Bariegated Mug-wort.
438	Phalangium.	Spider-Wort.

439	Linum Catharticum.	Mill-Mountain.
440	Myosotis	Mouse-Ear.
441	Pastinaca Aquatica.	Water-Parsnip.
442	Bellis Major.	The greater Daisie.
443	Cruciata.	Cross-wort.
444	Ebulus.	Dwarf-Elder.
445	Sambucus fol. Multifido.	Jagg'd Elder.
446	Umbilicus Veneris.	London-Pride.
447	Mezereon.	Mezereon.
448	Lilium Rubru.	Red Lily.
449	Verbenæ folius Superig.	The Upper leaf of Verbain.
450	Tanacetum Vulgare.	Common Tansy.
451	Ranunculus Apii folio.	Parsley-leav'd crowfoot.
452	Flos Graminis Parnassi.	Flower of Grasse of Parn.
453	Hydrolapathum.	Water-Dock.
454	Jacobæa pal. fo. multifido.	Jagg'd Water-S^t James-wort.
455	Lysimachia Spicata.	Spik'd Loose-strife.
456	Vicia.	Vetch.
457	Cardamine.	Lady-Smock.
458	Anagallis Longifolia.	Long leav'd Brook-lime.
459	Phellandrium.	Water-Hemlock.
460	Pepo.	A Pumpion.
461	Salvia Latifolia.	Broad Leav'd Sage.
462	Corona Imperialis.	Crown Imperial.
463	Caltha.	Marigold

No.	Latin name	English name
464	Martagon.	Mountain Lilly.
465	Cotula.	May-Weed.
466	Salix Folio Glauco.	The Osier.
467	Sabina.	Sabine.
468	Arundo Vallatoria.	Common Reed
469	Auricula Ursi.	Bears Ears.
470	Iris Palustris	Water Flower-de-Luce
471	Carex.	Sheer-Grass.
472	~~Succisa~~ Jacea.	Matfellon.
473	Succisa.	Devils-Bit.
474	Lingua Avis.	Ashen-Keys.
475	Acetosa Pratensis.	Meadow-Sorrel.
476	Semen Aceris.	Maple-Keys.
477	Bistorta.	Snake-Weed.
478	Potamogeiton.	Pond-weed.
479	Ptarmica.	Sneeze-wort.
480	Filipendula Aq.	Water-Dropwort.
481	Serratula.	Saw-wort.
482	Vasculus sem. Bolbonach.	The Seed-vessel of Sattin.
483	Pulmonaria Aurea.	Golden-Lung-wort.
484	Semen Aceris Majoris	Sycamore Keys.
485	Semen Bolbonach.	The Seed of Sattin.
486	Vasculus Sem. Bolbonach	The Seed vessel of Sattin &c.
487	Viola Palustris.	Water-Violet.
488	Hepatica Nobilis	Noble Liverwort.

489	Acetosa Romana.	Roman Sorrel.
490	Telephium.	Orpine.
491	Caltha Pal. f. duplici.	Double Marsh-Marigolds.
492	Gramen striatum.	Ladies Laces.
493	Flos Africanus.	The African Marigold
494	Sambucus Apii folio.	Parsley-Elder.
495	Cucumis.	Cucumber.
496	Lysimachia Maj.	Codlings & Cream.
497	Ranunculus Hortensis.	Garden-Crow-foot.
498	Geranis Batrachoides	Crow-foot Cranes-bill
499	Viola Inodora.	Dog's Violet.
500	Cracca.	Strangle-Tare.
501	Lactuca Germanica.	Silesia Lettuce.
502	Anethum.	Dill.
503	Fumaria vulg.	Fumitory.
504	Lychnis.	Rose Campion.
505	Filix Fœmina.	Female Fern.
506	Barbarea Muralis	Wall-Cress.
507	Pastinaca tenuifolia	Carrot
508	Sena.	Senna.
509	Cicer.	Chick-Pease.
510	Flos Afric. Minor	The Lesser Af. Marigold
511	Chœrophyllum.	Chervill.
512	Eleoselinum.	Smallage.
513	Blattaria Purpurea.	Moth-Mullein.
514	Fraxinella.	Bastard Dittany.

1. It delights in woody, & Shady Places, and
grows Plentifully in S. Mary's Park. Nigh ye
City of Paris. ye leaves & Roots are very Bitter
& leave a Red Tincture upon blew Paper. it
contains a great quantity of volatile, Aroma-
-tick, & oily salt, impregnated with a copious
Sulphur, Acid, & earthy Parts. Chymically Ana-
-lyz'd it yeilds a copious quantity of oil, Acid
Phlegm, Earth, with a small Portion of An Uri-
-nous Spirit. tis Anti-Hydropick, Aperient,
Cathartick, Diuretick, Diaphoretick, Hepatick,
Emmenagogick, Lyptintick, Segnotick, splenetick,
Sternutatory reduc'd to Powder, & therefore Cepha-
-lick. it opens ye obstruction of ye Gall. tis also
discussive. tis usefull in Long Quartan Agues, Green-
-Sickness, Worms, Melancholy, ye Flegm, Choler,
Gouts, Sciatica, Asthma's, old Coughs, Ruptures, con-
-vulsions, Bitings of wild Beasts, Cancers, St
Anthony's Fire, & Inflammation of ye Eyes. ye Dose
in Powder from ʒss to ʒi. in Ale or Wine. in
infusion from ℥i. to ℥iii. or ℥iii.ss. if you take
ye juice of ye Leaves, eight, or nine will be suf-
-ficient.

2. It grows in Moist Places, & Near high-
-Ways. tis of a Tast something saltish, but
very Stiptick. it leaves a deep Red Tincture
on blew Paper, from whence tis conjectured
that ye Acid Part of ye Natural salt of ye
Earth being Filtred thro the whole Texture
of this Plant, produces there with ye Earth
an Aluminous salt, joyn'd with a small Portion
of Sulphur. Tis Astringent, Cosmetick, De-



1
2
3
4
5

2: Siluer Wood

1: Asarabacca:

3: Indian Crosses:

4 Sweet Brier:

5: Fools Parsly:

-tersive, Febrifuge, Lithontriptick, Nephri-
-tick, Odontalgick, Sygnotick, & Trauma-
-tick: and therefore Very Soveraign in all
manner of Fluxes, Ulcers in ye Mouth, ye Stone,
and Gravel in ye Reins or Bladder, Pains
of Women in Labour; it Asswages ye Heat of ye
Urine, it's distill'd Water is excellent for Ulcers
in ye Eyes, Red Faces, & all deformities thereof.

3. The Name gives you ye Place of it growth,
and as it hath ye same tast, & Smell, as other
Cresses, & in a much more Eminent Degree, tis
past Dispute, that ye Nature of it is ye Same.
This Plant is Sharp, & Biting, & leaves but a
faint Red up Blew Paper, it Contains a Salt
much resembling ye Oxysal Diaphoreticum Angeli
Sala, which is an Alcaline Salt Imbib'd in an
Acid: Beside this Salt, it has a small Share of Salt
Armoniack, a little Sulphur, & a great Deal of Earth;
for Chymically Analyz'd it yeilds an Acid and
Alkali plentifully, a little of an Urinous Spirit,
very little Sulphur, & Earth enough. tis Aperient,
Diuretick, Emmenagogick, AntiHydropick, & Scor-
-butick.

5. It grows among Pot-herbs, tis Something sharp in tast,
& is Emollient. little is said of it.

4. It is Astringent, Lithontriptick, Scorbutick,
Diuretick; ye Berries are good in a Feaver,
The Spungy Balls are Hypnotick, in powder
mixt with Honey, & Sal Cranii Humani, they help
ye Alopecia, in Rhenish Wine kills worms, & cure ye Colick.

6. It grows in Marshy grounds, and has in all Probability ye same Properties, & Vertues, as ye Wild Valerian. which See. N. 149.

7. It Grows commonly in Woods, & Shady Places, Especially at Newbrough in York-shire. ye Root is of a Sharp, hot tast, & ye leaves of an Aroma-tick smell. tis Singular good against ye Pains of ye Reins, & Bladder, Lithontriptick, Diu-retick, & Alexipharmick, if ye juice of ye taken in any Cordial Wine.

8. It grows Nigh high Ways, & Hedges. it leaves scarce any Red Tincture upon Blew-Paper, tis a great Astringent. ye fruit leaves a faint Tincture; The leaves chymically Analyz'd afford no concre-ted Volatile salt, but a considerable quantity of an Vinous Spirit: a copious quantity of oil, & Earth is extracted from them. ye Seeds besides oil & earth, yeild no small quantity of Concreted Volatile Salt. tis Diuretick, Lithontriptick, Nephritick; ye Seed reduc'd to Powder, & given in Woman's milk to Women in Labour to ye quan-tity of ℥ss. does Wonders. tis also Carminative, & good against Agues.

9. It grows in Watery, & Marshy places. tis as-tringent, & Traumatick. ye distill'd Water of it is a present Remedy against ye inflam-mation of ye Eyes, & clears ye sight.

10. The Leaves are Segnotick, Abstersive, & Diuretick, Cosmetick, Hepatick, Scorbutick,



6
7
8
9
10
11

8: Gromell :

8

6: marsh Valerian

7 Saxifrage

11 medow Burnet

9: the lesser codded Loose strife

10: Garden Strawberry

Anti-Icterick, Opthalmick, Emmenagogick and anti-helmintick. ye juice or Essence Strengthens ye Gums, fastens Loose Teeth, & heals Ulcers in ye Mouth. ye Berries are Alexipharmick, Cardiack, help Melancholy provoke Urine, & are good against ye Stone. &c.

11. Tis Cheifly found ~~in Montanous~~ Meadows, & Pastures, ~~& Chalky ground~~, that are Moist, & low. it has a saltish tast, & Much resembles, that of a Wall-nut. it tinges but a faint Red Tincture upon Blew Paper. Chymically Analyz'd it affords Several Acid Liquors, a great quantity of Concreted Volatile salt, a great Quantity of Oil, & Earth. Tis Cardiack, Alexipharmick Diaphoretick, Detersive, Traumatick, Diuretick & Antiscorbutick. Reduc'd to Powder, & sprinkled upon Cancerous Ulcers, it hinders Their Spreading, if we may Believe Doctor Boyle It prevents Abortion, stops Vomiting occasion'd by Bilious Humours, ye Bloody Flux, Catarrhs, & ye Monthly Terms. it Exhilarates the spirits, helps ye Trembling of ye Heart, cures Consumptions, Spitting of Blood, and is a Soveraign Remedy against ye Plague, & Malign Feavers.

12. The Leaves, & Tendrels are Acid, & rough, cool, & strongly bind; they are excel-lent in Gargarisms for hot Ulcers in ye mouth & in Drinks, & Broths against ye heat of ye Stomach, Fluxes, Vomitings, Bleedings. they stay ye Longing of Women with child. they help ye Pica, Chlorosis, & Hæmoptysis. Tears of ye Vine, which are a clear juice, that bleeds, or Weeps from ye Stalks, are Lithontriptick, Car-diack, & Opthalmick. ye gum, which Sweats out of ye Branches taken in Wine forces away ye Gravel, lay'd on tetters, & Ringworms, it cures them. it is good against ye Itch; Rubb'd on often with Oil it causeth ye Hair to fall off, ye Water, which drops from ye Ends of ye Branches when burnt, has ye same effect, Rubb'd on warts it takes them away, the Ashes thereof apply'd with Oil of Roses, Rue, & Vinegar help the inflammation of ye spleen. ye leaves bruis'd, and Apply'd give ease in ye Head-ache.

13. It's fruit is cooling, good in feavers, & heats of ye Stomach. 'tis Cardiack, refrigerant, Sygnotick & anti-febrick, it causes an Appetite.

14. It delights in shady Places. 'tis without doubt a kind of Solanum, for tho' ye leaves, flowers & Seed-vessels, & ye Seeds themselves Toto cælo distent, yet the leaves of both chewed leave ye same Ungratefull, choaking tast in ye Larynx much resembling that of Tobacco; & ye little


13
12.
14
15
16
17.

14 Enchanters night Shade

13: Goosberry:

15 Parke-Leaues

18 yellow Pimpernell:

12 Vine:

17: Bistort or Snake-weed:

16: the Greater Bindweed

hairy Balls, that come after ye flower is gone have much ye same Smell as ye leaves of Solanu Scandens, tho not so strong. hence we may conjec-ture, that ye vertues are ye same.

15. By its stiptick tast, tho it has not that bitterness, which is found in St. Johns-wort, joynd with it, & its Aromatick Smell, we may conclude that ye vertues are in a Manner ye same. vide Hypericon.

16. It grows almost in every Bush. ye leaves are some-thing Bitter, but ye flowers much more. Tis A-perient, Discussive, emollient, Anti-hydropick. and according to Praevotius gently purges bili-ous humours. it troubles ye Stomach, & therefor ought to be corrected with Cinnamon, Ginger, & Mastick.

17. Tis frequent in ye Meadows & Pastures in York-shire. The root is very binding, Alexipharmic & Sudorifick; it stops vomiting, helps ye Inflammatio of ye Mouth, & Throat, if held therein, is good agains Feavers, & prevents Miscarriage.

18. It grows in Moist, & Shady Woods. it has a Rough, Austere, and stiptical Taste joyn'd with a mixture of Bitternes, & therefore must be a good Vulnerary, & proper for all those distempers, in which Astringents are accoun-ted of good Use.

19. This grows where your Great Burnet-
-Saxifrage does, & has y^e same vertues. it only
differs from it in y^e Roundness of y^e Leaves.

20. It grows every where about Hedges, and
woods. y^e Roots, leaves, and Seeds of Briony
do all purge strongly. their virtue depends
on a Sulphur join'd with salt-Armoniack, &
Earth: for by A Chymical Analysis, a great
deal of Oil, & Acid Plegm is extracted from
Briony, an inconsiderable quantity of volatile
Salt, & yet a Smaller quantity of Earth extracted
from it, than from y^e Roots of Mechoacan, up-
-on which account Briony purges more violent-
-ly then it. 'tis Hepatick, Splenetick, Hysterick,
Emmenagogick, and of great use in y^e Dropsie,
Gout, falling Sickness, Asthma's, Palsy, verti-
-go, & maladies of a long Continuance. it cures
Quartans Applyed to y^e temples, & wrists. y^e Root is
prescrib'd dry'd, & powder'd from ℈i. to ℈ii. y^e
juice from one Dram to ℥ss. & y^e decoction of y^e
Roots to ℥i.

21. It grows in high ways, & among Pot-herbs.
'Tis detersive, Cleanses, & heals filthy Ulcers;
y^e Boil'd leaves Eaten loosen y^e Belly. it
kills worms bred in y^e Putrid Ulcers of four-
-footed Beasts, if it be bruis'd, & Lay'd on. Tra-
-gus affirms it for a Certain Truth.


19
18
20
23
22
21
24

13 Goosbery

19 round leaved Burnet Saxifrage

20 White Briony

-3 the great =
arden Spurge :

21 English Mercury :

22 Garden Mint

D.

22. Upon a Chymical Analysis, Mint of ye kind soever yeilds a large quantity of oil, and brinous Spirit, wherefore its very pro-bable, that they abound with an oily vola-tile Salt, & therfore tis no wonder, if it helps to restore a prostratid Appetite, & dissi-pates Crudities, Belchings, & Flatuosities. Tis aperient, Uterine, & Vulnerary. it stops Vomiting, & Women's Courses, tis of singular use in ye pains of ye Bowels, ye Vertigo, & obstructions of ye Liver. outwardly Apply'd tis Emollient tis excellent in ye Colick, & helps Watering Eyes. tis anti-hydropick, Hysterick, & Diuretick.

23. Upon a Chymical Analysis, it yeilds a large quantity of oil, Earth, & acid Liquors: but an acrid chiefly predominates in ye root, upon which account tis sharper than ye leaves. ye milky juice seems to proceed from ye large quantity of Sulphur which being diluted by ye serous Phlegm, is turned into a Milky colour after ye same manner, as it happens, when Emulsions are prepard from oily seeds. ye Bark of ye root being steep'd in very sharp Vinegar for ye space of 24 hours brings away by stool a large Quantity of Serum being given from ℈s. to a ʒs. in substance, but in in-fusion to ʒii. it may be corrected with some Drops of ye Spirit of Sulphur, or Cream of Tartar. The Root, Leaves, & Seeds ~~of Briony~~ do all purge, and are a Panchymagogon.

24.
It grows commonly on the Banks of Rivers, and Brooks. Especially in Cumberland, & Yorkshire. in ye County first named, I have found it & on ye Banks of ye River Eden, where tis call'd Beck-berries, in ye Latter tis to be found by ye Side of a Brook in Bramham. The Berries are thought to be of great Use in ye Squincey, & are upon yt account Nam'd Squinancy Berries. they are also much Esteem'd in ye Stone & Gravel. The Leaves, & ye Fruit from their Fetid Smell ~~Smell~~ may be thought to be Anti-Hysterical.

25. They are to be found in Every Garden. they temper ye Acrimony of ye Choler, & therefore are Useful in Bilious Distempers: they Quench Thirst, comfort a hot Stomach, heal a Dysenteria, Stop Fluxes, & Vomiting, Resist Putrefaction, cool Inflammations, create an Appetite, & are excellent in Fevers, ye Heart-Burn, & ye Jaundice.

26. Nothing is more common. ye Leaves are Bitterish, of a Strong, Balsamick, & Resinous, but more Plainly of a Dead-Nettle Smell. they leave no Red Tincture upon Blew Paper. Hence we may conjecture, that its Salt is not Much different from Tartar Vitriolated. this Salt is mixt but with a Small Quantity of Salt Armoniack but with a Sufficient Portion of Sulphur, & Earth. It affords no Volatile concreted Salt upon a



27
24
26
30
28
61
25
29

30 Wood Bind:

24 Black Currans

27 Ivy

28 Hawthorn:

25 Red = =
Currants

26 Ground Ivy:

61 kidney Wort:

29 Sage

Chymical Analysis, but a small portion of an Vinous Spirit, a large quantity of oil, Earth, and Phlegm, that is partly Acid, & partly Pungent: tis Aperient, Detersive, Traumatick, Diuretick, Lithontriptick, Sarcotick, Analeptick, Anti-Helmintick, Opthalmick, & Cephalick.

27. The Bark has a Rancid Oyly Taste, Biting, & of a Strong Scent. ye Gum has an Unpleasant Smell, & therefore an Enemy to ye herbes. it is of a Burning Caustick Tast. it kills Lice, & Nits. ye leaves bruis'd with Vinegar, & Rose-water & Apply'd to ye Fore-head, & Temples help ye Frensy, & Head-Ake. ye Berries are Diuretick, Lithontriptick, Alexipharmick, Emetick, and Cathartick.

28. Upon a Chymical Analysis besides Several acid Liquors, it yields in a small quantity of Vinous Spirit, no Volatile Salt Concrete, but a great deal of Oyl, & Earth. its Salt resembles much ye of Coral, a large portion of Sulphur abounds in it mixt with a little Salt Armoniack. tis astringent, & traumatick. ye Flowers steep'd in Wine 3 days, & then distill'd, are excellent in ye Colick, & Pleurisy &c.

29. It abounds in a in a Volatile, Aromatick salt; 'tis Cephalick, Uterine, Cardiack, Pectoral, Alexipharmick, Anti-Leptick, Carminative, Sarcotick, Anodyne, & Diuretick.

30. The leaves are Stiptick, leave a Red Tincture upon Blew Paper. its salt resembles ye of Salt Armoniac but mixt with a Fetid Oyl, & Earth. tis detersive, Traumatick, Cosmetick, Sarcotick, Opthalmick, & singular in ye Uvula. &c.

31. Three, or four of ye Berries purge Upwards, & Downwards, Dry'd, & Reduced into Powder they kill Lice.

32. The Leaves of it upon a Chymical Analysis Yield a Copious Quantity of Acid Liquors, a small quantity of Urinous Spirit, no Volatile Salt concrete, a large Portion of Earth, & Oyl, and a midling one of fixed Salt. hence tis conjectured That its Salt comes nigh yt, which Angelus Sala names Oxysal Diaphoreticus; its Salt is mixt with a great Deal of Sulphur, & Earth. tis Aperient, Diuretick, Lithontriptick, Hepatick & Sudorifick. &c. ~~Tis us'd against ye Dandriffe~~.

33. Tho' it grows not spontaneously in our Nation, yet Nothing is more common, & is usually called ye Sycomore-Tree: ye Bark is bitter, Rough, & Something Mucilaginous, ye juice, which runs on tapping, is Sweet, Nauseous, and Astringent; ye leaves have a Rough Taste, ye Vertue lies in ye Astringency, with a little Bitterness.


31.
32
33
34
35.

32 Ash =

31 Spindle Tree =

33 Sycamore Tree =

34 Bay leav'd Willow

35 Plum-tree:



omitted from - 40 to 50

40 Mallows

39 Spignoll

36 ladies mantle

38 black maiden hair:

37 Clowns All=Heale


53
50
51
56
52
55
54
50

51 Broad Beans

53 Hemlock :

50 Apricock

54 yarrow

56 meadow Rue

Crowfoot :

55 Parsley :

52 Goats Rhubarb

H.



59.
58
57.
60
62
62
61
61


58 Mugwort
57 Fennel :
59 Germander
63 Ribwort or
long Plantain
62 Spinache :
61 Kidney Wort :
60 Broad Plantain


64
65
66
67
68
69
70

66 Golden Rod

65 Round Leav'd Bell Flower

64 Roman Wormwood

67 Violet

68 Wild Clary :

70 Sorrel :

69 Nettle Hemp :



51.
52
53
54

66 golden Rod

71 Red Blites:

72 Baulm

74 Stinking Hedge nettle

73 Drop-Wort


78
75
79
77
80
76


79 wild Currans
78 Self-Heal
75 Winter Cresses
77 Barberries
80 the bush Vetch
76 Kidney Beans
M.


81
82
83
84
85

83 Cross wort : 82 Tway Blade : 81 Bugle :

84 Black briony

85 Sweet Socily


86
87
88
89
90
91


88 Rag wort
87 Colts foot
86 Mercury
90: Callamint
91 red Archangel
89 Figwort


92
93
94
95
96
86

94 St. peters wort

92 mock Privet

93 Queen of the Meadows

95 Bramble

86. mercury:

96 maple Tree:

86


97
99
98
100.

99 Black Poplar:

97 Botony

101 yellow willow wort

98 Agrimony leaf

100 the Tree of Life

106

105

103

104

102

103


105 the round leav'd Marsh = Violet :
106 Marsh Penny wort
103 Spleen wort
104 Sun dew
103 spleen wort
102 Sope wort
R.


107
108
109
110
111.
108

109 Blader nut Tree   107 Corne Sallet




112
113
114
115

112 Garden Valerian

113 Hops

114 Comfrey

115 The white Poplar Tree

T


518
516
519
104

118 the Sallow Tree

104 Ros Solis :

116: Arrow wort

117 white Jasmine

V


152
159
120

112 Garden Valerian

119 Peiony

120 Dog-Rose


125
123
121
124
122

125 Cost mary

123 Privet

121 Bladder nut Tree

124 Garden Germander

122 stinging Nettle


126
127.
128
113
129

126 Orach

127 Water Elder

128 Horse Bennet

113 Hops

129 Marsh Mallows


133.
98
132
131.
130


Sprig of
98 Agrimony
133 Diorr Wood = wild woad :
132 Nipple wort
130 Purple Avons :
131 White Hore Hound :


134
135
136
136
137

135 Hasel nut Tree

134 Cinque foil

136 Thorowwax

136

137 Curled Tansey



139
138
141
143.
140
142
145

139 water Gormander

140 Peach Tree

141 Pare Tree

138 smooth Sow-Thistle

142 Elecampane

143 Straw Berries



78
78
144
23
149

78 Self Heal

78

144 Meadow Burnet

23 the Great Garden spurge


146
145
95
152

145 Goats Rew

146 the Cherry Tree:

95 Black berry Bush

D D.


120
147.
148

147 Parsly

120 wild Brier

148 Gardon Poppy


23
149.
14
158
14

23 Gardon Spurge

149 wild Valorian

14 Enchantors night Shade


2
150
2

150 Duskoy Cranis Bill

2 Silvor wood

G. G.



151.
152
153
154
153

153 meddler Tree

151 Adders Toungue

154 Female Fern

152 michaelmass Daisy

Medlar larger leaf

153

AH.


159
159
155
156

155 Dock

157 Addors Tongue

157

156 Wall nutt Troo


60
160
158
161
159
175

60 Great Plantain

160 the Elme Tree

158 Trefoil

161 Jack by the Hedge

159 Brooklime

K. K.


162
163
164

162 Oke Tree

163 Elder Tree

164 Burdock

167

169.

165

166

164

169 White mulloin

167

165 Gardon Poppies

167 Variogated spurge

166 yollow Avons

M M.


170
171
168
Chickweed
172
173
174



68
72
170 Dandolion
171 Borrage
174 the uppor leaus of sun spurge
173 sun Spurge
N N.


178
175
176
179

178 aple Tree

175 yellow Figwort

176 Orchis or Satyrion

177 Knap=Wood


179
180
181
182
183
166

180 the Greater birds foot

181 the Ash Tree

179 Wood sorrel

183 Hoary St Johns wort

182 wild Germander

166 yellow Avens



184
186
185
36
60

185 water Horehound

184 Winter Cresses =

186 Flax wood

60 Plantain

36 Ladies Mantle



187.
190
188
189



RR


591.
594.
593
591
592

191

194 Diuils Bitt

193 Button Bur

191 Marsh Trefoil

192 Doves foot


192
195.
196
A96
52

195 Marsh Marigold.

192 Cranes Bill

196 Cow Parsnep

496 Codlins and Cream.

52 medow Rue


198
198
199
200
201
199
197
224

197 one Berry

198 White Maidenhair

198

200 outlandish Golden Rod

201 Buckthorn

199 Wood Pease

VV.


202
203
205.
204.

202 Winter Cherry

203 Lilly Connalloy

205 Dorias wound herb

204 Deadly night Shade


206.
208.
209.

208 Hemp:

206 sweet Mollilot

207 Wild Cucumber


201.
209.
202.
210.

201 Buck-thorn

209 Clary

210 Wall Gilliflower

202 Winter Cherry

212

212

213

216.

215

211.

214.

21A

21A.

21A.

213 Master Wort

212 the flowers of Crowfoot

216 the flower of Yellow Pimpernel

217 July flower

215 Borage flowers

211 Liquorice

214 the flowers of Bryony

218

219.

219

220

221

219 Bastard white Hollibore

218 Thorn-Aple

220 Herb Christopher

221 Heath :


222
222
223
227.
226
224
225
226

226 Birch Tree

222 Round Leav'd St. peters wort.

224 Marjerome

227 Chesnut Tree:

225 Bramble

223 Penny Royal


228
229.
230
231.
230

229 Columbine

228 Rue

231 Sanicle

230 Lovage

230



232
237
232
236
233
234
64
235

232

237 Germander Chick weed

232 Wood Roof

233 the Quicken Tree

236 white Ladies Bedstraw

64 Roman Wormwood

234 Golden Saxifrage

235 Greek Valerian



238
239
240
241.
242
243.

238 pillitory of the Wall

241: Dames Violets:

239 Hodges Parsley

240 Cowslips

243 the Alder Tree

242 Hemlock Chervill

E. E. E.


244.
231
245.
233
245
231.
232
192

231 Sanicle

244 Great Celandine

233 Quicken Tree

245

245 Wild - Angelica

232 Wood Roof

231

192 Doves Foot

F. F. F.



249
251.
250
246
250
248
247
248


249 the Blow Pipe Tree:
251 the Lesser Celandine
246 Water Plantain
250
250 french Sage
247 Hedge Hyssop
248 Grass of Parnassus

GGGG.

352

354

357

353

355

358

356

354

357 the white Pipe Tree

352 Water Betony

354

353 Stinking Orache

355 Black Hellebore

358 Celeri=

356 Periwinkle

354 Smooth St. Johns wort

HHHH



359
132.
359
359


132 Nipple — Wort
359 Bitter Sweet:
359
359


363
362
361
360
364
360
310

361 the Flowers of Ladies Bedstraw

362 the Bell flower

363 Dodonaeus's Eye bright

364 wild mint

360 Dutch Agrimony


369
369
369
365
369
368
367
366
369


369 Wall Rue
369
369
368 the flower of the Pease
365 Potatoes
369
369
367 Pease
Rue
366 Parsnip


372
374
369
371
369
372
370
369
369
370
373



369
374 the Bay Tree:
372 Polypody:
372
371 Dwarf Fern
369 wall Rue
369
370
369
373 Laurus Tinus
370 Horse Chesnut


189
375
399
376
377
395
189
378

189 Herb Robert

375 Scabious

377 Hoary St Johns wort

377

376 Saxifrage

378 Biting : Arsmart

189 Herb Robert

375



56
383
379
380
381
382
344


56 meadow Rue Crowfoot
379 Hounds Tongue
383 crow foot
382 White Bugle
381 Carrawaies
380 Mild Arsmart

